

AREAL ASSESSMENT INDEX WELLS (SHALLOW MONITORING WELLS; IW-1A THROUGH IW-38A)

**STATISTICAL SUMMARY FOR FIELD PARAMETERS, MAJOR AND TRACE ELEMENTS, NUTRIENTS, BACTERIA, AND RADIONUCLIDE
DATA COLLECTED FROM NOV 2001 TO SEPT 2010**

WATER-QUALITY CONSTITUENT	DESCRIPTIVE STATISTICS				PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
	SAMPLE SIZE	MAXIMUM	MINIMUM	MEAN	95%	75%	(MEDIAN) 50%	25%	5%
72020 Elevation above NGVD ft	580	1470	148	1390	1440	1410	1390	1370	1350
72019 WaterLevel, BelowLSD ft	579	56.3	1.42	17.6	38.1	22.7	15.2	9.76	5.02
00010 Temperature, water deg C	579	18.9	12.8	15.8	17.2	16.2	15.8	15.3	14.6
00020 Temperature, air deg C	571	39.5	-5	23.9	34	29	26	21	6
00025 Air pressure mm/Hg	531	738	708	726	732	729	726	723	719
00300 Dissolved oxygen mg/l	570	9.71	0.01	1.56	6.06	1.96	0.59	0.21	0.1
00400 pH std units	580	7.55	5.4	6.69	7.2	6.95	6.77	6.49	5.93
00403 pH, wu,lab std units	490	7.52	5.68	6.83	7.29	7.06	6.9	6.65	6.14
00095 Specific cond at 25C uS/cm @25C	580	2310	101	901	1870	1210	844	545	206
90095 SpecCond,wu25degCLab uS/cm @25C	490	2220	2.25	874	1750	1140	796	546	202
63001 Redox potential, raw mV	569	520	-276	107	380	222	100	-40.4	-99.4
63002 Redox potential, SHE mV	571	700	-70	317	590	430	310	170	110
63675 Turbidity, Nephelom NTU	475	114	0.09	3.16	12.3	3.23	0.931	0.337	0.149
63676 Turbidity, NephRatio NTRU	568	26.1	--	1.784*	*7.700	*1.945	*0.915	*0.382	*0.107
99872 Turbidity,Hach2100,I NTU	104	--	--	--	--	--	--	--	--
00901 Carbonate hardness, wu mg/l CaCO3	480	717	25.3	305	586	390	303	192	44.8
00900 Hardness, water mg/l CaCO3	495	717	25.3	305	587	390	306	193	45.7
00915 Calcium, wf mg/l	495	219	7.22	93.8	176	120	93.3	59.6	13.3
00925 Magnesium, wf mg/l	495	41.4	1.76	17.2	35.1	22.2	16.2	10.7	3
00935 Potassium, wf mg/l	495	12.7	0.84	3.69	6.55	4.61	3.44	2.53	1.32
00930 Sodium, wf mg/l	495	330	11.1	83.6	256	102	60.3	38.9	19
00419 ANC, wu, inflection pt,field mg/l CaCO3	35	357	28	206	351	275	204	142	28.3
39086 Alkalinity, wf,inflect,field mg/l CaCO3	10	349	115	229	349	280	227	181	115
39087 Alkalinity, wf,inflect pt,lab mg/l CaCO3	479	402	27	206	348	270	211	155	40
00453 Bicarbonate,wf,inflect pt,fld mg/l	10	425	140	279	425	341	277	221	140
29806 HCO3, wf, inflection pt, lab mg/l	480	490	33	251	424	329	257	186	49
00450 Bicarbonate,wu,inflect pt,fld mg/l	35	435	34.2	251	428	336	249	174	34.5
00452 Carbonate, wf,inflect pt,fld mg/l	10	0	--	--	--	--	--	--	--
29809 CO3, wf, inflection pt, lab mg/l	480	4	0	0.019	0	0	0	0	0
00447 Carbonate, wu, inflect pt,fld mg/l	35	0	--	--	--	--	--	--	--
00940 Chloride, wf mg/l	493	773	--	69.502*	*298.960	*88.500	*35.100	*14.150	*3.992
00950 Fluoride, wf mg/l	490	1	0.02	0.396	0.706	0.52	0.39	0.25	0.11
00955 Silica, wf mg/l	495	36.6	8.2	20.1	29	23.1	19.6	17.1	13.4
00945 Sulfate, wf mg/l	487	770	5	151	491	196	100	44	11
00500 ROE at 105C, wu mg/l	179	1550	116	615	1300	770	556	372	150
70300 Residue, ROE@180C,wf mg/l	495	2700	74	592	1200	770	534	340	138
70301 Residue, wf, sum mg/l	486	1570	--	538.110*	*1181.700	*725.150	*511.400	*314.950	*0.008
00530 Residue,total nonflt mg/l	480	46.5	--	2.701*	*9.200	*3.007	*1.346	*0.605	*0.192

03515	Gross beta, wf,Cs-137 pCi/L	110	44.1	0.66	6.69	14.8	7.85	5.8	3.49	1.59
22703	Uranium, wf ug/l	15	7.45	0.04	2.79	7.45	4.93	2.22	1.26	0.04

* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

STATISTICAL SUMMARY OF ARSENIC SPECIATION DATA COLLECTED FROM NOV 2001 TO SEPT 2010

WATER-QUALITY CONSTITUENT	DESCRIPTIVE STATISTICS				PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
	SAMPLE SIZE	MAXIMUM	MINIMUM	MEAN	95%	75%	(MEDIAN) 50%	25%	5%
62453 Arsenate, wf ug/L as As	276	7.58	--	1.220*	*4.284	*1.416	*0.700	*0.440	*0.161
62452 Arsenite, wf ug/L as As	277	13.5	--	1.906*	*8.122	*2.575	*0.506	*0.162	*0.035
62455 Dimethylarsinate, wf ug/L as As	277	0.815	--	0.170*	*0.433	*0.221	*0.130	*0.081	*0.041
62454 Monomethylarsonate, wf ug/L as As	277	0.815	--	0.170*	*0.433	*0.221	*0.130	*0.081	*0.041

* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

STATISTICAL SUMMARY OF TRIAZINE HERBICIDE SCREEN DATA COLLECTED FROM NOV 2001 TO SEPT 2010

WATER-QUALITY CONSTITUENT	DESCRIPTIVE STATISTICS				PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
	SAMPLE SIZE	MAXIMUM	MINIMUM	MEAN	95%	75%	(MEDIAN) 50%	25%	5%
00095 Specific cond at 25C uS/cm @25C	481	2170	101	895	1860	1200	838	541	201
34756 Triazines, ELISA, wf ugAtrazn/L	479	1.51	--	0.064*	*0.270	*0.061	*0.023	*0.009	*0.002
34757 Triazines, ELISA, wu ugAtrazn/L	479	1.51	--	0.064*	*0.270	*0.061	*0.023	*0.009	*0.002

* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

61610	Tribuphos, wf ug/l	48	--	--	--	--	--	--	--	--
49235	Triclopyr, w,gf<.7u ug/l	113	--	--	--	--	--	--	--	--
82661	Trifluralin,w,gf<.7u ug/l	115	--	--	--	--	--	--	--	--
39702	Hexachlorobutadiene, wu ug/l	114	--	--	--	--	--	--	--	--
38775	Dichlorvos, wf ug/l	66	--	--	--	--	--	--	--	--

ORGANOPHOSPHATES AND ORGANOCHLORIDE PESTICIDES + GROSS PCBS

39330	Aldrin, wu ug/l	55	--	--	--	--	--	--	--	--
39388	alpha-Endosulfan, wu ug/l	55	--	--	--	--	--	--	--	--
39786	Carbophenothion, wu ug/l	58	--	--	--	--	--	--	--	--
39350	Chlordane (technical), wu ug/l	55	--	--	--	--	--	--	--	--
38932	Chlorpyrifos, wu ug/l	58	--	--	--	--	--	--	--	--
39570	Diazinon, wu ug/l	58	--	--	--	--	--	--	--	--
39380	Dieldrin, wu ug/l	55	--	--	--	--	--	--	--	--
39011	Disulfoton, wu ug/l	58	--	--	--	--	--	--	--	--
39390	Endrin, wu ug/l	55	--	--	--	--	--	--	--	--
39398	Ethion, wu ug/l	58	--	--	--	--	--	--	--	--
82614	Fonofos, wu ug/l	58	--	--	--	--	--	--	--	--
39420	Heptachlor epoxide, wu ug/l	55	--	--	--	--	--	--	--	--
39410	Heptachlor, wu ug/l	55	--	--	--	--	--	--	--	--
39340	Lindane, wu ug/l	55	--	--	--	--	--	--	--	--
39530	Malathion, wu ug/l	58	--	--	--	--	--	--	--	--
39600	Methyl parathion, wu ug/l	58	--	--	--	--	--	--	--	--
39755	Mirex, wu ug/l	55	--	--	--	--	--	--	--	--
39360	p,p'-DDD, wu ug/l	55	--	--	--	--	--	--	--	--
39365	p,p'-DDE, wu ug/l	55	--	--	--	--	--	--	--	--
39370	p,p'-DDT, wu ug/l	55	--	--	--	--	--	--	--	--
39480	p,p'-Methoxychlor,wu ug/l	55	--	--	--	--	--	--	--	--
39540	Parathion, wu ug/l	58	--	--	--	--	--	--	--	--
39516	PCBs, wu ug/l	55	--	--	--	--	--	--	--	--
39023	Phorate, wu ug/l	58	--	--	--	--	--	--	--	--
39400	Toxaphene, wu ug/l	55	--	--	--	--	--	--	--	--
39040	Tribuphos, wu ug/l	58	--	--	--	--	--	--	--	--

* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

STATISTICAL SUMMARY OF ANTIBIOTIC DATA COLLECTED FROM JUN 2002 TO JUL 2002

WATER-QUALITY CONSTITUENT	DESCRIPTIVE STATISTICS				PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
	SAMPLE SIZE	MAXIMUM	MINIMUM	MEAN	95%	75%	(MEDIAN) 50%	25%	5%
62650 Anhydrochlortetracycline,gf.7 ug/l	10	--	--	--	--	--	--	--	--
62651 Anhydrotetracycline,w,gf<0.7u ug/l	10	--	--	--	--	--	--	--	--
61744 Chlorotetracycline, wf ug/l	10	--	--	--	--	--	--	--	--
62680 Demeclocycline, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
62694 Doxycycline, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
62717 Flumequine, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
62751 Minocycline, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
62757 Norfloxacin, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
62759 Oxolinic acid, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
61759 Oxytetracycline, wf ug/l	10	--	--	--	--	--	--	--	--
62771 Sarafloxacin, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
62774 Sulfachlorpyridazine, gf<0.7u ug/l	10	--	--	--	--	--	--	--	--
62776 Sulfadimethoxine, w,gf<0.7u ug/l	10	--	--	--	--	--	--	--	--
62777 Sulfamerazine, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
61762 Sulfamethazine, wf ug/l	10	--	--	--	--	--	--	--	--
62778 Sulfathiazole, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
62781 Tetracycline, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--

* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

30217	Dibromomethane, wu ug/l	121	--	--	--	--	--	--	--	--
34668	CFC-12, wu ug/l	121	--	--	--	--	--	--	--	--
34423	Dichloromethane, wu ug/l	121	--	--	--	--	--	--	--	--
34371	Ethylbenzene, wu ug/l	121	--	--	--	--	--	--	--	--
39702	Hexachlorobutadiene, wu ug/l	241	--	--	--	--	--	--	--	--
34396	Hexachloroethane, wu ug/l	120	--	--	--	--	--	--	--	--
77223	Isopropylbenzene, wu ug/l	121	--	--	--	--	--	--	--	--
34696	Naphthalene, wu ug/l	241	--	--	--	--	--	--	--	--
77342	n-Butylbenzene, wu ug/l	121	--	--	--	--	--	--	--	--
77224	n-Propylbenzene, wu ug/l	121	--	--	--	--	--	--	--	--
77350	sec-Butylbenzene, wu ug/l	121	--	--	--	--	--	--	--	--
77128	Styrene, wu ug/l	121	--	--	--	--	--	--	--	--
78032	MTBE, wu ug/l	121	--	--	--	--	--	--	--	--
77353	t-Butylbenzene, wu ug/l	121	--	--	--	--	--	--	--	--
34475	Tetrachloroethene, wu ug/l	121	--	--	--	--	--	--	--	--
32102	Tetrachloromethane, wu ug/l	121	--	--	--	--	--	--	--	--
34010	Toluene, wu ug/l	121	--	--	--	--	--	--	--	--
34546	trans-1,2-Dichloroethene, wu ug/l	121	--	--	--	--	--	--	--	--
34699	trans-1,3-Dichloropropene, wu ug/l	121	--	--	--	--	--	--	--	--
32104	Tribromomethane, wu ug/l	121	--	--	--	--	--	--	--	--
39180	Trichloroethene, wu ug/l	121	--	--	--	--	--	--	--	--
34488	CFC-11, wu ug/l	121	--	--	--	--	--	--	--	--
32106	Trichloromethane, wu ug/l	121	--	--	*****	--	--	--	--	--
39175	Vinyl chloride, wu ug/l	121	--	--	--	--	--	--	--	--

* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

AREAL ASSESSMENT INDEX WELLS (DEEP MONITORING WELLS; IW-1C THROUGH IW-38C)

**STATISTICAL SUMMARY FOR FIELD PARAMETERS, MAJOR AND TRACE ELEMENTS, NUTRIENTS, BACTERIA, SEDIMENT, AND RADIONUCLIDE
DATA COLLECTED FROM NOV 2001 TO SEPT 2010**

WATER-QUALITY CONSTITUENT	SAMPLE SIZE	DESCRIPTIVE STATISTICS			PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
		MAXIMUM	MINIMUM	MEAN	95%	75%	(MEDIAN) 50%	25%	5%
72020 Elevation above NGVD ft	577	1430	165	1380	1420	1410	1380	1370	1350
72019 WaterLevel, BelowLSD ft	577	57.9	4.12	22.5	44.9	29.3	20.8	14	8.22
00010 Temperature, water deg C	577	18.4	14.4	16.1	16.7	16.4	16.1	15.8	15.3
00020 Temperature, air deg C	565	43	-6	26.5	37	32.3	28.5	23	6
00025 Air pressure mm/Hg	527	738	709	726	732	729	726	723	719
00300 Dissolved oxygen mg/l	568	3.38	0.01	0.188	0.46	0.18	0.12	0.08	0.02
00400 pH std units	575	8.55	6.38	7.1	7.4	7.25	7.14	6.96	6.69
00403 pH, wu,lab std units	492	8.38	6.39	7.22	7.51	7.35	7.24	7.09	6.81
00095 Specific cond at 25C uS/cm @25C	577	4520	274	957	1710	1130	837	604	317
90095 SpecCond,wu25degCLab uS/cm @25C	492	4420	260	944	1680	1090	830	624	323
63001 Redox potential, raw mV	566	430	-274	18.8	280	105	-29	-80	-113
63002 Redox potential, SHE mV	567	640	-60	228	490	310	180	130	100
63675 Turbidity, Nephelom NTU	477	149	0.073	3.06	10.2	3.45	1.11	0.376	0.126
63676 Turbidity, NephRatio NTRU	566	50.4	--	1.718*	*5.406	*2.150	*0.980	*0.387	*0.110
99872 Turbidity,Hach2100,I NTU	64	--	--	--	--	--	--	--	--
00901 Carbonate hardness, wu mg/l CaCO3	482	1310	83.7	307	659	347	257	192	113
00900 Hardness, water mg/l CaCO3	497	1310	83.7	313	667	351	258	193	113
00915 Calcium, wf mg/l	497	392	27.3	96.4	204	105	79.6	60.1	38
00925 Magnesium, wf mg/l	497	81.7	3.4	17.5	37.4	20.1	14.7	10.3	4.05
00935 Potassium, wf mg/l	497	10.9	1.3	3.48	5.62	3.9	3.39	2.58	1.83
00930 Sodium, wf mg/l	497	409	16.9	93.4	194	110	82.8	45.8	21.5
00419 ANC, wu, inflection pt,field mg/l CaCO3	3	245	134	--	--	--	--	--	--
39086 Alkalinity, wf,inflect,field mg/l CaCO3	12	262	134	208	262	253	200	182	134
39087 Alkalinity, wf,inflect pt,lab mg/l CaCO3	480	395	113	225	292	268	240	172	138
00453 Bicarbonate,wf,inflect pt,fld mg/l	12	320	164	251	320	303	244	222	164
29806 HCO3, wf, inflection pt, lab mg/l	481	482	21	275	358	327	292	210	167
00450 Bicarbonate,wu,inflect pt,fld mg/l	3	299	163	--	--	--	--	--	--
00452 Carbonate, wf,inflect pt,fld mg/l	12	0	--	--	--	--	--	--	--
29809 CO3, wf, inflection pt, lab mg/l	482	1	0	0.008	0	0	0	0	0
00447 Carbonate, wu, inflect pt,fld mg/l	3	0	--	--	--	--	--	--	--
00940 Chloride, wf mg/l	491	1460	--	115.635*	*313.980	*118.000	*65.000	*20.500	*5.199
00950 Fluoride, wf mg/l	492	0.79	0.02	0.404	0.68	0.49	0.394	0.31	0.17
00955 Silica, wf mg/l	497	29.7	15.8	22.6	27.7	24.2	22.2	20.6	18.7
00945 Sulfate, wf mg/l	488	670	5	105	393	111	67	27.1	8
00500 ROE at 105C, wu mg/l	177	3340	62	629	1290	709	542	368	198
70300 Residue, ROE@180C,wf mg/l	497	3230	150	624	1230	688	533	361	191
70301 Residue, wf, sum mg/l	485	2520	--	561.204*	*1172.000	*658.350	*506.200	*337.400	*0.002
00530 Residue,total nonflt mg/l	482	514	--	4.430*	*12.000	*3.723	*1.398	*0.551	*0.145

03515	Gross beta, wf,Cs-137 pCi/L	107	16.8	1.43	4.71	9.79	5.7	4.08	3.1	1.86
22703	Uranium, wf ug/l	15	5.54	0.12	2.85	5.54	5	3.94	0.215	0.12

* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

STATISTICAL SUMMARY OF ARSENIC SPECIATION DATA COLLECTED FROM NOV 2001 TO SEPT 2010

WATER-QUALITY CONSTITUENT	DESCRIPTIVE STATISTICS				PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
	SAMPLE SIZE	MAXIMUM	MINIMUM	MEAN	95%	75%	(MEDIAN) 50%	25%	5%
62453 Arsenate, wf ug/L as As	276	9.18	--	1.842*	*4.799	*2.596	*1.287	*0.712	*0.381
62452 Arsenite, wf ug/L as As	271	18.4	--	4.793*	*13.802	*8.776	*2.937	*0.527	*0.131
62455 Dimethylarsinate, wf ug/L as As	276	1.63	--	0.237*	*0.693	*0.323	*0.154	*0.082	*0.033
62454 Monomethylarsonate, wf ug/L as As	276	1.63	--	0.237*	*0.693	*0.323	*0.154	*0.082	*0.033

* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

STATISTICAL SUMMARY OF TRIAZINE HERBICIDE SCREEN DATA COLLECTED FROM NOV 2001 TO SEPT 2010

WATER-QUALITY CONSTITUENT	DESCRIPTIVE STATISTICS				PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
	SAMPLE SIZE	MAXIMUM	MINIMUM	MEAN	95%	75%	(MEDIAN) 50%	25%	5%
00095 Specific cond at 25C uS/cm @25C	482	4520	274	955	1710	1130	838	602	319
34756 Triazines, ELISA, wf ugAtrazn/L	482	--	--	*****	--	--	--	--	--
34757 Triazines, ELISA, wu ugAtrazn/L	482	--	--	*****	--	--	--	--	--

* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

62721	Glufosinate, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
62722	Glyphosate, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--

SAMPLES ANALYZED BY THE NATIONAL WATER QUALITY LABORATORY

49295	1-Naphthol, w,gf<.7u ug/l	67	--	--	--	--	--	--	--	--
39732	2,4-D, wf ug/l	78	--	--	--	--	--	--	--	--
38746	2,4-DB, w,gf<.7u ug/l	78	--	--	--	--	--	--	--	--
82660	2,6-Diethylaniline, gf ug/l	77	0.008	--	0.002*	*0.005	*0.003	*0.002	*0.001	*0.001
61618	2-Chloro-2',6'-diethylacetanilide ug/l	66	--	--	--	--	--	--	--	--
04040	CIAT, wf ug/l	78	0.221	--	0.011*	*0.024	*0.008	*0.005	*0.003	*0.001
61620	2-Ethyl-6-methylaniline, wf ug/l	66	--	--	--	--	--	--	--	--
61625	3,4-Dichloroaniline, wf ug/l	66	--	--	--	--	--	--	--	--
49308	3-Hydroxy carbofuran, w,gf<.7 ug/l	78	--	--	--	--	--	--	--	--
61633	4-Chloro-2-methylphenol, wf ug/l	66	--	--	--	--	--	--	--	--
49260	Acetochlor, wf ug/l	77	--	--	--	--	--	--	--	--
49315	Acifluorfen, w,gf<.7u ug/l	78	--	--	--	--	--	--	--	--
46342	Alachlor, wf ug/l	77	--	--	--	--	--	--	--	--
49313	Aldicarb sulfone, w,gf<.7 ug/l	78	--	--	--	--	--	--	--	--
49314	Aldicarb sulfoxide, w,gf.7 ug/l	78	--	--	--	--	--	--	--	--
49312	Aldicarb, w,gf<.7u ug/l	74	--	--	--	--	--	--	--	--
34253	alpha-HCH, wf ug/l	11	--	--	--	--	--	--	--	--
99995	a-HCH-d6, sur2003,wf %	66	134	49.5	88.3	123	103	85.6	76.6	58.3
39632	Atrazine, wf ug/l	78	0.052	--	0.008*	*0.026	*0.008	*0.005	*0.004	*0.002
61635	Azinphos-methyl oxon, wf ug/l	66	--	--	--	--	--	--	--	--
82686	Azinphos-methyl,gf.7 ug/l	77	--	--	--	--	--	--	--	--
82673	Benfluralin,w,gf<.7u ug/l	77	--	--	--	--	--	--	--	--
38711	Bentazon, w,gf<.7u ug/l	78	--	--	--	--	--	--	--	--
04029	Bromacil, wf ug/l	78	--	--	--	--	--	--	--	--
49311	Bromoxynil, w,gf<.7u ug/l	78	--	--	--	--	--	--	--	--
04028	Butylate, wf ug/l	11	--	--	--	--	--	--	--	--
49310	Carbaryl, w,gf<.7u ug/l	78	--	--	--	--	--	--	--	--
82680	Carbaryl, w,gf<.7u ug/l	77	--	--	--	--	--	--	--	--
49309	Carbofuran, w,gf<.7u ug/l	78	--	--	--	--	--	--	--	--
82674	Carbofuran, w,gf<.7u ug/l	11	--	--	--	--	--	--	--	--
61188	Chloramben ME, wf ug/l	78	--	--	--	--	--	--	--	--
61636	Chlorpyrifos oxon, wf ug/l	65	--	--	--	--	--	--	--	--
38933	Chlorpyrifos, wf ug/l	77	--	--	--	--	--	--	--	--
82687	cis-Permethrin,gf.7u ug/l	77	--	--	--	--	--	--	--	--
49305	Clopyralid, w,gf<.7u ug/l	75	--	--	--	--	--	--	--	--
04041	Cyanazine, wf ug/l	11	--	--	--	--	--	--	--	--
61585	Cyfluthrin, wf ug/l	66	--	--	--	--	--	--	--	--
61586	Cypermethrin, wf ug/l	66	--	--	--	--	--	--	--	--
49304	Dacthalmonoacid, w,gf.7 ug/l	78	--	--	--	--	--	--	--	--
82682	DCPA, w,gf<.7u ug/l	77	--	--	--	--	--	--	--	--
62170	Desulfinylfipronil, wf ug/l	77	--	--	--	--	--	--	--	--
61638	Diazoxon, wf ug/l	10	--	--	--	--	--	--	--	--
39572	Diazinon, wf ug/l	77	--	--	--	--	--	--	--	--
99994	Diazinon-d10,sur2003 %	66	134	49.5	88.3	123	103	85.6	76.6	58.3

39600	Methyl parathion, wu ug/l	46	--	--	--	--	--	--	--	--	--
39755	Mirex, wu ug/l	48	--	--	--	--	--	--	--	--	--
39360	p,p'-DDD, wu ug/l	48	--	--	--	--	--	--	--	--	--
39365	p,p'-DDE, wu ug/l	48	--	--	--	--	--	--	--	--	--
39370	p,p'-DDT, wu ug/l	48	--	--	--	--	--	--	--	--	--
39480	p,p'-Methoxychlor,wu ug/l	48	--	--	--	--	--	--	--	--	--
39540	Parathion, wu ug/l	46	--	--	--	--	--	--	--	--	--
39516	PCBs, wu ug/l	48	--	--	--	--	--	--	--	--	--
39023	Phorate, wu ug/l	46	--	--	--	--	--	--	--	--	--
39400	Toxaphene, wu ug/l	48	--	--	--	--	--	--	--	--	--
39040	Tribuphos, wu ug/l	46	--	--	--	--	--	--	--	--	--

* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

STATISTICAL SUMMARY OF ANTIBIOTIC DATA COLLECTED FROM JUN 2002 TO JUL 2002

WATER-QUALITY CONSTITUENT	DESCRIPTIVE STATISTICS				PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
	SAMPLE SIZE	MAXIMUM	MINIMUM	MEAN	95%	75%	(MEDIAN) 50%	25%	5%
62650 Anhydrochlortetracycline,gf.7 ug/l	10	--	--	--	--	--	--	--	--
62651 Anhydrotetracycline,w,gf<0.7u ug/l	10	--	--	--	--	--	--	--	--
61744 Chlorotetracycline, wf ug/l	10	--	--	--	--	--	--	--	--
62680 Demeclocycline, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
62694 Doxycycline, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
62717 Flumequine, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
62751 Minocycline, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
62757 Norfloxacin, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
62759 Oxolinic acid, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
61759 Oxytetracycline, wf ug/l	10	--	--	--	--	--	--	--	--
62771 Sarafloxacin, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
62774 Sulfachlorpyridazine, gf<0.7u ug/l	10	--	--	--	--	--	--	--	--
62776 Sulfadimethoxine, w,gf<0.7u ug/l	10	--	--	--	--	--	--	--	--
62777 Sulfamerazine, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
61762 Sulfamethazine, wf ug/l	10	--	--	--	--	--	--	--	--
62778 Sulfathiazole, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--
62781 Tetracycline, w,gf<.7u ug/l	10	--	--	--	--	--	--	--	--

* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

30217	Dibromomethane, wu ug/l	119	--	--	--	--	--	--	--	--
34668	CFC-12, wu ug/l	119	--	--	--	--	--	--	--	--
34423	Dichloromethane, wu ug/l	119	--	--	--	--	--	--	--	--
34371	Ethylbenzene, wu ug/l	119	--	--	--	--	--	--	--	--
39702	Hexachlorobutadiene, wu ug/l	221	--	--	--	--	--	--	--	--
34396	Hexachloroethane, wu ug/l	102	--	--	--	--	--	--	--	--
77223	Isopropylbenzene, wu ug/l	119	--	--	--	--	--	--	--	--
34696	Naphthalene, wu ug/l	221	--	--	*****	--	--	--	--	--
77342	n-Butylbenzene, wu ug/l	119	--	--	--	--	--	--	--	--
77224	n-Propylbenzene, wu ug/l	119	--	--	--	--	--	--	--	--
77350	sec-Butylbenzene, wu ug/l	119	--	--	--	--	--	--	--	--
77128	Styrene, wu ug/l	119	--	--	--	--	--	--	--	--
78032	MTBE, wu ug/l	119	--	--	*****	--	--	--	--	--
77353	t-Butylbenzene, wu ug/l	119	--	--	--	--	--	--	--	--
34475	Tetrachloroethene, wu ug/l	119	--	--	--	--	--	--	--	--
32102	Tetrachloromethane, wu ug/l	119	--	--	--	--	--	--	--	--
34010	Toluene, wu ug/l	119	--	--	--	--	--	--	--	--
34546	trans-1,2-Dichloroethene, wu ug/l	119	--	--	--	--	--	--	--	--
34699	trans-1,3-Dichloropropene, wu ug/l	119	--	--	--	--	--	--	--	--
32104	Tribromomethane, wu ug/l	119	--	--	--	--	--	--	--	--
39180	Trichloroethene, wu ug/l	119	--	--	--	--	--	--	--	--
34488	CFC-11, wu ug/l	119	--	--	--	--	--	--	--	--
32106	Trichloromethane, wu ug/l	119	--	--	--	--	--	--	--	--
39175	Vinyl chloride, wu ug/l	119	--	--	--	--	--	--	--	--

* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT