

EXPLANATION

- ◀ 6127 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06890100 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 07183000 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 3741 Lake and determination site identification number





Figure 11. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Allen County.



EXPLANATION

- ◀ 3706 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06914000 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06914000 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 3494 Lake and determination site identification number






Figure 12. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Anderson County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ← 1244 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06890100 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06818260 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 740 Lake and determination site identification number






Figure 13. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Atchison County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ← 5347 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 07149000 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 07149000 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 5338 Lake and determination site identification number





Figure 14. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Barber County.



EXPLANATION

- ◀ 3193 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 07141300 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 07143200 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- ▬ 3076 Lake and determination site identification number





Figure 15. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Barton County.



EXPLANATION

- ← 4394 **Location of streamflow-statistics determination site (small triangle) and associated identification number**—small triangle points in downstream direction
- 06917500 ▲ **U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration**
- 07143200 △ **U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values**
- 4047 **Lake and determination site identification number**





Figure 16. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Bourbon County.



EXPLANATION

- ← 774 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 07141300 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 07143200 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 676 Lake and determination site identification number




Figure 17. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Brown County.






Figure 18. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Butler County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ◀ 4773 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 07182250 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 07181500 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 3502 Lake and determination site identification number






Figure 19. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Chase County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ◀ 5410 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 07174000 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 07172000 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 5179 Lake and determination site identification number





Figure 20. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Chautauqua County.



EXPLANATION

- ◀ 5404 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 07184000 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 07184600 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 5335 Lake and determination site identification number






Figure 21. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Cherokee County.



EXPLANATION

- ← 778 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06827500 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06827500 ▴ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 5335 Lake and determination site identification number



Index map

Figure 22. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Cheyenne County.