



**EXPLANATION**


- ◀ 4157 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 07140000 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 07140000 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2330 Lake and determination site identification number



**Figure 34.** Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Edwards County.




Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994  
 Albers Conic Equal-Area Projection  
 Standard parallels 29°30' and 45°30', central meridian 96°  
 Horizontal coordinate information is referenced to the  
 North American Datum of 1983 (NAD 83)




**EXPLANATION**

- ◀ 4933 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 07169800 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 07169700 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 4925 Lake and determination site identification number




**Figure 35.** Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Elk County.






**EXPLANATION**

- ← 2911 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06865500 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06864500 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2643 Lake and determination site identification number




**Figure 37.** Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Ellsworth County.




EXPLANATION

- ← 3620 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 07139000 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 07139000 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 3564 Lake and determination site identification number




**Figure 38.** Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Finney County.




**EXPLANATION**


- ← 4606 **Location of streamflow-statistics determination site (small triangle) and associated identification number**—small triangle points in downstream direction
- 07139500 ▲ **U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration**
- 07139800 △ **U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values**
- 3994 **Lake and determination site identification number**



**Figure 39.** Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Ford County.




Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994  
 Albers Conic Equal-Area Projection,  
 Standard parallels 29°30' and 45°30', central meridian 96°  
 Horizontal coordinate information is referenced to the  
 North American Datum of 1983 (NAD 83)




**EXPLANATION**

- ◀ 3150 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 06913500 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 06913700 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2905 Lake and determination site identification number




**Figure 40.** Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Franklin County.




**EXPLANATION**

- ← 2341 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06878500 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06879200 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2121 Lake and determination site identification number




**Figure 41.** Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Geary County.




**EXPLANATION**

- ← 2224 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 07139500 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 07139800 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2109 Lake and determination site identification number




**Figure 42.** Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Gove County.




**EXPLANATION**

- ◀ 1578 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06866900 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06873000 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 1399 Lake and determination site identification number




**Figure 43.** Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Graham County.




**EXPLANATION**

- ◀ 4698 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 07139500 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 07139800 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 4199 Lake and determination site identification number




**Figure 44.** Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Grant County.




**EXPLANATION**

- ◀ 4432 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 07139500 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 07157100 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 4434 Lake and determination site identification number




**Figure 45.** Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Gray County.




**EXPLANATION**

- ◀ 2341 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06878500 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06879200 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2121 Lake and determination site identification number




**Figure 46.** Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Greeley County.



**EXPLANATION**

- ◀ 4414 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 07167500 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 07166700 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 4391 Lake and determination site identification number



**Figure 47.** Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Greenwood County.