

EXPLANATION

- ← 5265 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 07184000 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 07157700 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 4653 Lake and determination site identification number





Figure 23. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Clark County.



EXPLANATION

- ◀ 1876 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06856600 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06856600 ▴ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 1692 Lake and determination site identification number





Figure 24. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Clay County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)

EXPLANATION

- ◀ 1357 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 06876070 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 06876200 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 1365 Lake and determination site identification number




Figure 25. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Cloud County.





Figure 26. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Coffey County.



EXPLANATION

- ← 5331 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 07157900 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 07157900 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 4903 Lake and determination site identification number





Figure 27. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Comanche County.



EXPLANATION

- ◀ 5388 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 07146500 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 07148100 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 5402 Lake and determination site identification number





Figure 28. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Cowley County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)

EXPLANATION

- ← 4909 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 07183500 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 07183800 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 4855 Lake and determination site identification number





Figure 29. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Crawford County.



EXPLANATION

- ← 755 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06844900 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06845100 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 635 Lake and determination site identification number






Figure 30. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Decatur County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ← 2669 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06878500 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06877200 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2662 Lake and determination site identification number





Figure 31. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Dickinson County.



EXPLANATION

- ← 863 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06818000 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06818000 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 776 Lake and determination site identification number





Figure 32. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Doniphan County.



EXPLANATION

- ← 2532 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06891050 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06891500 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2330 Lake and determination site identification number




Figure 33. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Douglas County.